

Crafting Happiness



CATALOGUE





Code: 873154, SBL-011(Crushers)
220 ~240V, 50Hz, 750W, Stainless Steel Blender
100% ABS material Plastic body with Metallic Color
1.4L Juicer, 1.0L Mincer & 0.5Kg Grinder with heavy SS Jar
High quality Stainless steel blade with 6 heads
Motor overheat protection
20000 RPM & pure copper coil motor.

Code: 873297, VIS-SBL-015 (DynaMix)
220 ~240V, 50Hz, 650W, Stainless Steel Blender.
1.5L Juicer, 1.1L Mincer & 0.6Kg Grinder with SS jar
High quality 304G stainless steel blade with 6 heads.
Motor overheat protection.
energy efficient pure copper coil motor.
Non-stop 20 minutes motor operation without burn
Innovative JarFix base tray design





Code: 873381, VIS-SBL-018(RAPID POWER)
220 ~240V, 50Hz, 650W, Stainless Steel Blender.
100% ABS material Plastic body with Metallic Color
1.4L Juicer, 1.0L Mincer & 0.5Kg Grinder with 20 gauge SS Jar
High quality Stainless steel blade with 6 heads.
Motor overheat with low noise protection.
18000 RPM & energy efficient pure copper coil motor.
Unbreakable Polycarbonate (PC) Material Lid

Code: 873336, VIS-SBL-016(RAPID X)
220 ~240V, 50Hz, 750W, fully Stainless Steel Blender.
100% ABS material Plastic body with Metallic Color
1.4L Juicer, 1.0L Mincer & 0.5Kg Grinder with heavy SS Jar
High quality Stainless steel blade with 6 heads.
Motor overheat with low noise protection.
20000 RPM & energy efficient pure copper coil motor.





Code: 873509, VIS-SBL-019(DynaMix-X)
220 ~240V, 50Hz, 850W, fully Stainless Steel Blender.
100% ABS material Plastic body with Metallic Color
1.5L Juicer, 1.2L Mincer & 0.6Kg Grinder with 18 gauge SS Jar
High quality Stainless steel blade with 6 heads.
Motor overheat with low noise protection.
22000 RPM & energy efficient pure copper coil motor.
Unbreakable Polycarbonate (PC) Material Lid



Code: 873308, SBL-014 (RAPID)

220 ~240V, 50Hz, 650W, Stainless steel blender

100% ABS material with metallic body

1.4L Juicer, 1.0L Mincer & 0.5Kg Grinder with 18 gauge SS jar
High quality stainless steel blade with 6 heads
Heavy aluminum die casting(ADC) base with coating

18000 to 20000 RPM with 3 speed control
High speed, energy efficient pure copper coil motor
Unbreakable polycarbonate(PC) material
Color: Blue & Orange

Code: 823144, SBL-005 (SS)
220 ~240V, 50Hz, 400W, fully Stainless Steel Blender
1.5L Juicer, 1.1L Mincer & 0.6Kg Grinder with SS Jar
High quality stainless steel blade with 4 heads
Multiple speeds for soft and hard ingredients
Motor overheat protection, Child Safety Interlock
High speed, energy efficient pure copper coil motor
Easily take out the parts to clean





Code: 873394, VIS-SBL-017(CYCLONE)

220 ~240V, 50Hz, 850W, Stainless Steel Blender.


100% ABS material Plastic body with Metallic Color

1.5L Juicer, 1.2L Mincer & 0.6Kg Grinder Jar
(Juicer, Grinder and Mincer) with 18 gauge SS Jar
High quality Stainless steel blade with 6 heads.

Motor overheat with low noise protection.

22000 RPM & energy efficient pure copper coil motor.

Unbreakable Polycarbonate (PC) Material Lid (Big jar)







Code: 873777, VIS-SBL-013(JIYO+)

220 ~240V, 50Hz, 850W,Stainless Steel mixture grinder.

100% ABS virgin material Plastic metallic body.

1.5L Juicer, 1.2L Mincer & 0.6Kg Grinding capacity.

304G heavy SS thumbs-up type 18 gauge Jar.

Heavy aluminum die casting (ADC) base with coating.

High quality Stainless steel blade with 6 heads., Motor overheated screw type CB protection.

19000 to 20000 RPM with 3 speed control, Unbreakable Polycarbonate (PC) Material Lid

High speed, energy efficient pure copper coil motor.



Code: 94896, VSBL RG-25

1.6 Liter Big Transparent Poly Carbonate Jar

3 in 1 functions (Juicer, Grinder and Mincer), 220 ~240V, 50Hz, 300W


High quality Stainless steel blade, Multi-speed for selection, satisfy different needs

Motor overheat protection, Child Safety Interlock

High speed, energy efficient pure copper coil motor

100% Food grade Rubber Gasket for health Protection

Easily take out the parts to clean





Code: 824182, PBL-009 (Couple choice)
1.6 Liter Big Transparent Polystyrene Materiel
3 in 1 functions (Juicer, Grinder and Mincer)
220 ~240V, 50Hz, 350W
High quality Stainless steel blade
Motor overheat with safety protection







Code: 873142, PBL-010 (Valentine)
1.6 Liter Big Transparent Polystyrene Materiel
3 in 1 functions (Juicer, Grinder and Mincer)
220 ~240V, 50Hz, 300W
High quality Stainless steel blade
Motor overheat with safety protection



Code: 873360, VIS-HB-001 (Smart)
220~240V/50-60Hz, 300W Hand blender(RAD & PINK Color)
juicer, mixer, egg beater, meat & vegetables chopping fashion
High quality 304 grade stainless steel 4 head blade of stick
Detachable mixing tool, good for mixing and cleaning.
Durable motor with 100% pure copper coil.
Safe for use with motor over heat protection
One juicer & mixer jar for convenience of blending







Code: 94895, VSBL-S30

1.6 Liter Big Transparent Poly Carbonate Jar
3 in 1 functions (Juicer, Grinder and Mincer)
220 ~240V, 50Hz, 350W, High quality Stainless steel blade
Multiple speeds for soft and hard ingredients
Motor overheat protection
Energy efficient pure copper coil motor
100% Food grade Rubber Gasket for health Protection
Easily take out the parts to clean

Code: 823619, Processor -VIS-FP-001 (All In One)
220 ~240V, 50Hz, 450W, fully Stainless Steel Blender.
1.6 Liter Big Transparent Polystyrene (PS) Jar.
7 in 1 functions (Juicer, Grinder, Mincer, Chopper, Filter, Lemon squeezer)
High quality Stainless steel blade with 4 heads.
Motor overheat with safety protection.
For All kinds of fruits, vegetables and meat grinding function
Child Safety Interlock.
High speed, energy efficient copper coil motor.







Code: 873238 (1.0 Ltr), 873143 (1.8 Ltr) & 873112 (3.0 Ltr) (Double Pot) Code: 873395 (1.8 Ltr) & 873396 (3.0 Ltr) (Single Pot) Rice Cooker SS body (Red color)
Power: 400/700/1100W, Automatic cook & keep warm function

Power: 400/700/1100W, Automatic cook & keep warm function Non-stick both side inner pot (1 SS & 1 Aluminum for double pot)





Code: 873274 (1.8 Ltr) & 873273 (3.0 Ltr) Double Pot VISION Rice Cooker SS body (Classic color) Power: 700/1100W, Automatic cook & keep warm function Non-stick both side inner pot (1 SS & 1 Aluminum for double pot)





Code: 873207 (2.2 Ltr)
VISION Rice Cooker 50-04 (Double pot)
(One is SS pot and one is Aluminum pot)
Power: 900W, Drum shaped, SS steamer
Magnetic Switch and Thermostat, Jointless body
Built-in thermostat maintains heat at a precise



Code: 873508, 1.8 L Premium SS Red (Double Pot) Inner Pot: Double pot (One is SS pot and one is Aluminum) Power: Cylinder shaped, 1.8 Ltr. 220V-50Hz, 700W 2 hole 6-6.5mm Plastic Handle Glass Lid Magnetic Switch and Thermostat Full SS Body and heavy thickness AI/ Stainless steel Steamer With plastic Handle. Built-in thermostat maintains heat at a precise and uniform level 700 W power which is very much enough for cooking rice in 15–20 min Heating element with coating for easy cleaning and Anti-dirty 1.2 mm Actual Non-stick Coating Inner pot, Base Board-Silver Antibacterial action in warm mode





Code: 873507, 3.0 L Premium SS Red (Double Pot) Inner Pot: Double pot (One is SS pot and one is Aluminum) Power: Cylinder shaped, 1.8 Ltr. 220V-50Hz, 700W 2 hole 6-6.5mm Plastic Handle Glass Lid Magnetic Switch and Thermostat Full SS Body and heavy thickness Al/ Stainless steel Steamer With plastic Handle. Built-in thermostat maintains heat at a precise and uniform level 700 W power which is very much enough for cooking rice in 15-20 min Heating element with coating for easy cleaning and Anti-dirty 1.2 mm Actual Non-stick Coating Inner pot, Base Board- Silver Antibacterial action in warm mode



Non-stick two side coated high quality pot



Code: 873300, VSN-1206, 220-240V, 50Hz
2000W Strong firepower, 4 digit display with Touch sensor control
A grade black polished crystal plate & tempered glass
10 power/temperature levels of adjustment
60-270° temperature adjust with 3 hours timer
Self-lubricating fan, disperse heat quickly with Over heat protection
Super large coil panel, high thermal efficiency, save energy 50%

Code: 94792, VSN1201A
220V, 50Hz, 2000W Strong firepower
Micro crystal plate, super heat & permanent resistant to discoloration
4 digit display with Touch sensor control
60-270° temperature adjust with 3 hours timer
Super wide voltage range adaptability from 90-275V
Self-lubricating fan, disperse heat quickly with Over heat protection
Having 1pc SS fry POT with prodcuts



Micro crystal plate, super heat & permanent resistant to discoloration 4 digit display with Touch sensor control, 8-stage power setting options 60-270° temperature adjust with 3 hours timer Super wide voltage range adaptability from 90-275V Self-lubricating fan, disperse heat quickly with Over heat protection Super large coil panel, high thermal efficiency, save energy 50% Size:341X411X65mm, Having 1pc SS fry POT with prodcuts

Code: 873204, Induction Cooker VSN1204 (Border)
2000W, 220V, 50Hz, Single Burner Induction stove
4 digital led display with Touch control
A Grade polished crystal Plate
Automatic shut off if Lack of Pot or empty of Pot
Multiple function & time setting options
10 Power temperature levels for adjustment of induction.





কাপড়ের ভাঁজে আনে মসৃণতা

SEI-002, 823435 Purple, 823436 Orange, 823437 Blue Ceramic Coating Sole-plate, 230V/1800W Self Clean Function, Overheat protection, Shock & Burn Proof Auto Power off when Temperature reach Target Weight: 1.05 Kg. Without Water Tank Water Tank Capacity: 350g.





Code: 874102, DEI-005, Ceramic Coating Sole-plate
220 ~ 230V, 50Hz, 1000 ~ 1200W
Thermostat temperature control
Overheat protection, shock & burn proof
Weight: 1.3 to 1.5Kg, Auto power off when temperature, reach Target



Code: 874101, DEI-004, Ceramic Coating Sole-plate 220 ~230V, 50Hz, 1000 ~ 1200W

Thermostat temperature control, overheat protection, shock & burn proof Weight: 1.3 to 1.5Kg, Auto Power off when temperature, reach target.



DEI-002, 823443 Pink
Non Stick Coating Sole-plate
220V/1200W, hermostat temperature control
Overheat protection.Shock & Burn Proof
Weight: 730g. auto, Power off when temperature, reach Target



DEI-007, 873117 Purple, 873118 Blue Non-stick coating sole-plate, 220V, 50Hz, 1150W Thermostat temperature control, Overheat protection Weight: 600g, auto power off when temperature reach target



DEI-003, 823461 Purple, 823462 Orange Non Stick Coating Sole-plate, 220V/1200W Thermostat temperature control Overheat protection, Shock & Burn Proof Weight: 730g, Auto Power off when Temperature, reach Target Automatic power off after reach Target temperature. Color: Purple & Orange



Code: 873372, VIS-SEI-005 (Green) 220V, 50 Hz, 1200W Electric steam iron weight: 0.900 Kg. Without Water Tank Ceramic coated sole-plate with elegant design. Overheat & burn protection with selective options.



YPF-6138, 94732 Purple, 94733 Orange, 94734 Blue Ceramic coating sole-plate 30V/2200W, thermostat temperature control Self clean function, overheat protection, shock & burn proof Auto power off when temperature reach target Weight: 1.05 Kg. without water tank, water tank capacity: 350g.



YPF 633, 94735 Purple, 94736 Orange, 94737 Blue Ceramic Coating Sole-plate, 220V/1000W Thermostat temperature control Overheat protection, shock & burn Proof Weight: 1125g. auto power off when temperature, reach target.



Code: 823441 Blue, 893442 Orange, DEI-002 Non Stick Coating Sole-plate 220V/1200W, hermostat temperature control Overheat protection. Shock & Burn Proof Power off when temperature, reach Target



Code: 873502, E. Iron-Model No. VIS-DEI-009 (PURPLE/BLUE) Non-stick coating sole-plate, 220V, 50Hz, 1000W, Thermostat temperature control. Overheat protection, Weight: Around 550g. Auto Power off when Temperature reach Target.



Code: 873371, VIS-DEI-011 (Blue/Burgundy) 220V, 50 Hz, 1000W Electric SS dry iron Thermostat temp control with 500 hours life time. Flexible 360 degree swivel cord guard. Overheated & burn protection with selective options Weight: 1.15Kg with elegant design. Automatic power off after reach Target temperature. Two pin 1.5M 3X0.75² copper power plug.



Code: 873529, VIS-DEI-013 (Heavy) Non Stick Coating Sole-plate with golden paint, 220V/1000W, Thermostat temperature control. High Quality PP material body and handle Overheat protection., Shock & Burn Proof, Weight: 2 to 2.2 Kg. Auto Power off when Temperature reach Target. Two pin Power Plug with 1.7M length.



Code: 873528, VIS-DEI-012 (Heavy) Non Stick Coating Sole-plate with golden paint 20V/1000W, Thermostat temperature control. High Quality PP material body and handle Overheat protection., Shock & Burn Proof, Weight: 2 to 2.2 Kg. Auto Power off when Temperature reach Target. Two pin Power Plug with 1.7M length.



Code: 873503, VIS-LI-001 220V, 50Hz, 1500W, Weight: $3 \text{Kg} \pm 0.50$ Overheat protection:No, MS casting with nickeling High quality copper connector, High quality heat proof wood handle Electric shock proof with safety guard



Code: 823145, VIS-TEI-006 (PINK) Teflon Coating with Aluminum Sole-plate 100-240V 50/60Hz,80-220W Auto power off at target temperature., 100% heat proof cable Overheat protection., Folding Option.



Code: 823432, VIS-SMT-EI-001 (Blue/Red) Steam, 220V, 50Hz, 1500W, Teflon Coating with Aluminum Sole-plate Auto power off at target temperature. Overheat & burn protection with selective options. weight: 0.900 Kg. Without Water Tank





Code: 823449, Electric Kettle 1.8L VIS-EK-006 Power: 1500W, 220V, 50Hz 360° Rotatable Cordless Electric Kettle. Auto turn Off when 100°C water boils.



Code: 873301, Electric Kettle VIS-EK-013 1.0L (ROYAL)
Power: 1000W, 220V, 50Hz
Fully Heat resistant, Cool touch two layer body.
Inner side 201SS & Outer side Plastic heat proof Body.
Auto turn Off when 100°C water boils.
Fast water boils within 3-4 minutes.



Code: 823448, Electric Kettle 1.8L VIS-EK-005 Power: 1500W, 220V, 50Hz 360° Rotatable Cordless Electric Kettle. Stainless steel Body with Silver Coating.



Code: 823425, Electric Kettle 0.8L REL-VSN-EK-01 (Red)
Power: 220V, 50Hz, 1000W ~ 1250W
360° Rotatable cordless kettle.
Auto turn Off when 100°C water boils.
Boil-dry and overheat protection.



Code: 823455, Electric Kettle 1.5L VIS-EK-008 Power: 1500W, 220V, 50Hz 360° Rotatable Cordless Electric Kettle. Stainless steel Body with concealed



Code: 823419, 823420, Electric Kettle 1.7L VIS-EK-03
Power: 220V, 50Hz, 1800W ~ 2200W
100% food grade Polypropylene body
Auto turn Off when 100°C water boils.
Triple Safety Protection, Both side water level Indicator.



Code: 873219, Electric Kettle 1.8L VIS-EK-010
Capacity: 1.8L, Power: 1500W, 220V, 50Hz
Fully Heat resistant, Cool touch two layer body.
Inner side 201SS & Outer side Plastic heat proof Body.
Boil-dry and overheat protection, Triple Safety Protection.
Fast water boils within 3-4 minutes.



Code: 873220, Electric Kettle 2.3L VIS-EK-011
Power: 1500W, 220V, 50Hz
Fully Heat resistant, Cool touch two layer body.
Inner side 201SS & Outer side Plastic heat proof Body.
Auto turn Off when 100°C water boils.
Triple Safety Protection., Fast water boils within 3-4 minutes.



Code: 873301, Electric Kettle VIS-EK-013 1.0L (ROYAL)
Power: 1000W, 220V, 50Hz
Fully Heat resistant, Cool touch two layer body.
Inner side 201SS & Outer side Plastic heat proof Body.
Auto turn Off when 100°C water boils.
Fast water boils within 3-4 minutes.





শীতে উষ্ণতার পরশ

Wall Mount -02, PTC heating, high thermal efficiency Fan/warm/hot wind for selection, Overheat protection Wall mounted, With remote control Rated power: 1000/2000W, With indicator light Up-to 8 hours timer, Level of protection: IPX2 With automatic oscillating louvres With LED display







Code: 823439, Easy Black Safety fan Heating Element, Recessed Carry Handle Safety-tip-over switch, Fan/low/high wind for selection Temparature Adjustment, Power indicator light Safety fuse inside



Code: 873279, Wall Mount -01
One touch start , Glass panel, 24 hours timer, One Week timer
2 heating powers:1000W/2000W, Window open function
LED display, warm/hot wind for selection
Remote control , wall mounted sets included , Overheating Protection




Code: 873287, Classic-02 PTC heater, Power:750/1500W With adjustable thermostat With overheating protection With tip-off swtich, Recessed handle



Code: 873281, Radiator White, heat setting:1000W/2000W cool and warm wind option, high heating efficiency DC motor build in,more quiet, Adjustable thermostat Safety thermal fuse built in, Overheating protection Oscillating function



Code: 873280, Radiator (Black), Heat setting:1700W/2400W cool and warm wind option, high heating efficiency 3 pcs DC motor build in,more quiet, Adjustable thermostat Automatic control temperature, Safety thermal fuse built in Overheating protection, Safety tip-over switch, Oscillating function



Code: 873278, Radiator 2, Heat setting:1700W/2400W cool and warm wind option, high heating efficiency 3 pcs DC motor build in,more quiet, Adjustable thermostat Automatic control temperature, Safety thermal fuse built in Overheating protection, Safety tip-over switch, Oscillating function





Code: 873139, Sub-Sandwich Maker
2-slice Panini Maker, 180° open 2-slice Grill (SUS top cover)
Cool touch handle, Power and Ready light indicator
Drip tray for collecting excess oil
Non-stick coating plates for easy cleaning
Cord-wrap and upright for storage
220-240V, 50-60Hz, 1500W




Code: 94894, Sandwich Maker, Cool touch handle with auto-lock clip Power and ready light indicators, Automatic temperature Control Non-Stick Coating plates for easy cleaning Cord-wrap and upright for storage







Code: 823406, RT-008C Non-stick coating plate, Plastic cool touch press handle Temperature control knob Power Indicator light







ইলেকট্রনিক্স পণ্য রাখুন সুরক্ষিত



Code: 873144, Automatic Voltage Stabilizer DVS-01 (15.5 C Capacity: 15.5 CFT or below 300L Refrigerator Digital RMS based Technology Automatic Delay During LoadSheading Safety protection (HV,LV,OL, SC, Surge & Overheat)



Code: 873199, DV-02-15.5 CFT (1000VA)
Input range: 120V - 260V, Output Voltage: 220V±8%
Protection against burnouts & over voltages
Short Circuit & Overload Protection
Delay timer: 6 Sec/300 Sec, Transformer: Toroidal Type



Code: 873145, Automatic Voltage Stabilizer DVS-01 (21.5 C Capacity: 21.5 CFT or Above 300L Refrigerator Digital RMS based Technology Automatic Delay During LoadSheading Safety protection (HV,LV,OL, SC, Surge & Overheat) Response Time:500ms



Code: 873200, DVS-03-21.5 CFT (1500VA)
Input range: 120V - 260V, Output Voltage: 220V±8%
Protection against burnouts & over voltages
Short Circuit & Overload Protection
Delay timer: 6 Sec/300 Sec, Transformer: Toroidal Type



ষ্রাস্থ্যকর উষ্ণ গোসল



Code: 873230; 873231; 873232, Vision Geyser 30, 45 & 67L Prime Automatic Thermostat, Ceiling type Installation, High insulated glass wool Rust proof ss-201 nonmagnetic sheet, Low power consumption Auto stop function by thermostat, Heater made in Italy Power: 1500W, Max. Temp: 80 degree



Code: 873233 , Vision Geyser 45L Premier Automatic Thermostat , Thermal Cut Out for safety Multifunctional Safety/Pressure Valve, IPX4 Water Proof, Heating & power lamp Enamel coated inner tank, Low power consumption, Auto off Dimension: Outer Dia 15" * Height 25" Power: 2000W, Max. Temp: 75 degree



Code: 873235, Vision Geyser 45L Ultra Automatic Thermostat, Ceiling type Installation, High insulated glass wool SPCC with powder coated Outer body, Low power consumption Auto stop function by thermostat, Heater made in Italy Power: 1500W, Max. Temp: 80 degree



Code: 873234, Vision Geyser 55L Premier Automatic Thermostat , Thermal Cut Out for safety Multifunctional Safety/Pressure Valve, IPX4 Water Proof, Heating & power lamp Enamel coated inner tank, Low power consumption, Auto off Dimension: Outer Dia 15"* Height 31" Power: 2000W, Max. Temp: 75 degree



Code: 873186, Wall or desktop clock
Display temperature and time
12 hour/24 hour displaying system selectable
Integral hour alarm function, Clock & calendar function
Built-in 3.7V lithium polymer battery with 50000 life time
4 hours DC backup without electricity, 2 way charging options
High quality charge controller for battery protections
Temperature range: -50~+70°C



VISION[®]

Mosquito Killer Bat

Code: 873140, Mosquito Killing Bat Eco-Friendly, Stocked, Safe, Scentless Design: Three layer grid, Oval shape Input: AC 220V/50Hz, 0.04A voltage: DC 220V Operating temperature: 10°C ~ 45°C Charger: Rechargeable Battery capacity: 400 mAh



Code: 873357, Electric Fry Pan-001
Fast hot conduction: Just using less time to fry
Food grade: Safe and healthy
Simple work type: Just for on/ Off two way,
Voltage: 220V-240V/50-60Hz, Power: 520W
Fashion wooden handle, safe for use.
Waterproof design, safe to use.





Code: 873292, Slice Toaster-002 SS 2 Slice Electronic Toaster, Stainless Stell main body 6 Browning contron allows, Toaster from light to dark Cool touch side panel 750W, 220V, 50Hz







Code: 824131, 5 L Princess, Capacity: 5 Liter Pure and food-grade aluminum 55% faster than traditional method. Leakproof sealing gasket and safety valve Saves fuel & time, Rustproof components



Code: 823692, 823695 (Induction), 823693, 823694
Vision Pressure Cooker 3/4/5/6L, Material: Aluminum
High-quality pressure releasing the valve, Up to 55% gas savings, also save time
Corrosion Protected & high strength material handlebar and lid
Durable sealing gasket and safety valve, Made from food-grade aluminum
Freezer safe, Food contact safe, Capable of being recycled



Code: 824130, 5 L Apple, Capacity: 5 Liter Pure and food grade aluminum 55% faster than traditional method. Leakproof sealing gasket and safety valve, Saves fuel & time Food retain most of their nutrients



Code: 824132, 5 L Queen, Capacity: 5 Ltr
Up-to 55% faster cooking than traditional method
High quality pressure releasing valve
Food retain most of their nutrients
Durable sealing gasket and safety valve
Made from food-grade aluminum
1 set safety valve & rubber gasket free





Code: 823696, NS Glamour Fry-Pan with Lid IB Material: Aluminum, Body Height: 53 mm Body OD: 246 mm , Body Thickness:3 mm Water Capacity : 1.4 ltr, FG weight: 1.201 kg Total weight (FG+CTN) : 1.652 kg Color: Red



Code: 873352, VSN NS Glamour Karai with Lid Up-to 60% Oil Saver Layers Nonstick Coating Top-coat: Provides outstanding surface integrity Reinforced Mid-coat: Enhances abrasion & scratch resistance Uniform Heat Conductive Spiral Bottom



Code: 873350, VSN NS Glamour Casserole with Lid Strong Joint, 3 layer coating: Top- coat: Provides outstanding surface integrity UP to 60% oil saver