



In 2007, Banga Building Material Ltd. (BBML), a sister concern of RFL, started manufacturing and marketing of RFL uPVC Door and uPVC Sheet. RFL uPVC Door is a high-tech, synthetic product that is used worldwide as replacement of wooden doors. RFL doors are durable, water resistant, affordable and strong and are made in various colors and sizes to cater customer demand. RFL uPVC Sheet is a durable and water resistant building material which is being used worldwide as a superior alternative of particle board, plain board, and melamine board and wood for making furniture, kitchen cabinet, false ceiling etc. The competitive advantages of using sheets are easy to fit and bend, no need for burnish or paint, less weight, competitive pricing along with durability and water resistance.



## **OUR CORPORATE MISSION**

POVERTY & HUNGER ARE CURSES OUR AIM:

TO GENERATE EMPLOYMENT &
EARN DIGINITY & SELF-RESPECT
FOR OUR COMPATRIOTS
THROUGH PROFITABLE ENTERPRISES

## **OUR BRANDS**


































## **OUR FACTORY**







Woody Premium-1 7'x2.5'



Woody Premium-2 7'x2.5'



Woody Premium-3 7'x2.5'



Woody Premium-4 7'x2.5'



Woody Smart-1 7'x2.5'



Woody Smart-2 7'x2.5'



Woody Smart-3 7'x2.5'



Woody Smart-4 7'x2.5'



Smart Preserve Design 7'x2.5'



Solid Frame 84"x30", 84"x36",84"x39", 84"x42"

## WOODY DOOR Specification

Description	Measurement
Size	7'x2.5',7'x3'
Frame width	6"
Panel thickness	31-38mm
Security type	Tower bolt



Elite (81"x27", 81"x33")



Royal (81"x27", 81"x33")



Stipe (81"x27", 81"x33")



Koroi (81"x27", 81"x33")

## SOSMIC DOOR

Unique 2.5'x7', 3'x7'

## WOODY SHUTTER

Description	Measurement
Size	81"x27", 81"x33" & Customize
Panel thickness	36 mm
Inside Materials	Composite Sheet instead of wood
	EPS instead of Jutex board
	2 mm Sheet
	Hide Glue System



Venut 2.5'x7', 3'x7', 3.5'x7'



Spark 2.5'x7'



Bronze 2.5'x7', 3.25'x7', 3.5'x7'



Stiff 2.5'x7'

## COSMIC DOOR

**Specification** 

Description	Measurement
Size	2.5'x7', 3'x7', 3.25'x7', 3.5'x7'
Frame width	6"
Panel thickness	38mm
Design	Glass Printing (LED)
Security type	Tower bolt & hatch bolt



Liner 2.5'x7', 3'x7', 3.5'x7'



Thunder 2.5'x7', 3'x7'



Spectra 2.5'x7'



Decent 2.5'x7'

## COSMIC SUPER DOOR

Specification

Description	Measurement
Size	2.5'x7', 3'x7', 3.5'x7'
Frame width	6"
Panel thickness	38mm
Design	Glass printing
Security type	Tower bolt & hatch bolt

# TOOMIC ULTRA DOOD

Veneer 2.5'x7', 3'x7'




Parabola 2.5'x7', 3'x7'



Onion Flower 7'x2.5'

## COSMIC ULTRA DOOR

Description	Measurement
Size	7'x2.5',7x3'
Frame width	6"
Panel thickness	31mm
Design	Glass printing
Security type	Tower bolt & hatch bolt





2.5'x7'





Brown Wood (7'x2.5', 7'x3', 7'x3.25', 7'x3.5')

King (2.5'x7')

KOMANDO DOOR
Specification

Description	Measurement
Size	7'x2.5', 7'x3', 7'X3.5'
Frame width	6"
Panel thickness	38mm
Design	Glass printing
Security type	Tower bolt & hatch bolt





Ring (7' x 2.5')

Hulk (7'x2.5')



Copper 7'x2.5', 7'x3', 7'x3.5'



Supreme 7'x2.5', 7'x3'

## DIAMOND DOOR

Description	Measurement
Size	7'x2.5'
Frame width	5"
Panel thickness	38mm
Design	Glass printing
Security type	Tower bolt & hatch bolt



Brick 3'x7', 2.5'x7'



Wooden Leaf



2.5'x7'



Virgin (2.5'x6.5', 2.5'x7')



Minus (2.5'x6.5', 2.5'x7')

## **Specification**

EPIC DOOR

Description	Measurement
Size	3'x7', 2.5'x7'
Frame width	6"
Panel thickness	31mm
Design	Glass printing
Security type	Tower bolt & hatch bolt

## SOLID DOOR

## **Specification**

Description	Measurement
Size	7'x2.5'
Frame width	4"
Sheet thickness	7.5mm-8mm/4mm
Security type	Tower bolt





Flower 7'X2.5'



**Nature** 7'X2.5'

## **GLASS DOOR**

Description	Measurement
Size	7'x2.5'
Frame width	4"
Sheet thickness	7.5mm-8mm/4mm
Security type	Round Lock







Ulka 2.5'x7'



Square 2.5'x7', 3'x7'



PREMIUM DOOR

## **Specification**

Description	Measurement
Size	7'x2.5'
Frame width	5"
Panel thickness	31mm
Design	Glass printing
Security type	Tower bolt



Sunflower 7'x2.5'



Vinyl 7'x2.5'

## GOLD DOOR

Description	Measurement
Size	7'x2.5',6.5'x2.5'
Frame width	4"
Panel thickness	31mm
Design	Roller printing & hot stamping
Security type	Hatch bolt



Stiff 24"x30", 27"x 30", 30"x 30"



Louver-Coffee 24"x30", 27"x 30", 30"x 30"



Cosmic Super Decent 24"x30", 27"x 30", 30"x 30"



Jhumka-Light Peach 24"x30", 27"x 30", 30"x 30"



S. Coffee 24"x30", 27"x 30", 30"x 30"



S. Light 24"x30", 27"x 30", 30"x 30"



Pop Light Peach 24"x30", 27"x 30", 30"x 30"



Louver- Light Peach 24"x30", 27"x 30", 30"x 30"



Cosmic Venner 24"x30", 27"x 30", 30"x 30"



Komando Brown Wood 24"x30", 27"x 30", 30"x 30"



Woody-80 24"x30", 27"x 30", 30"x 30"

## **Features**


- Durable
- Eco friendly
- Energy saving
- SS Accessories





- Engineering & uPVC Materials
- Color Guarantee
- Scratch Free
- Metal Reinforcement
- Weather Resistance

- Fire Retardant
- Water Proof
- Excellent Sound Insulation






B i. C	Measurement (mm)		Wall thickness	Rib thickness
Description	Width	Height	(mm)	(mm)
Sliding frame	90	52	2.2	1.5
Sash	42	57	2	1.5
Middle connection	88	70	2.2	1.5
Glazing bead	15	25	1.5	
Centre intersecting unit	46.4	22	1.5	
Cover sash	45	30	1.5	
Insect screen sash	22	41	1.8	1
Middle section sash	42	66	2.3	1.5
Glass type	Single or double glass with gas fille			gas fille
Glass color	Clear, navy blue mercury, green mercury coffee, navy blue, mercury			
Glass thickness	5, 5.5, 6 mm			
Frame Color	Silver			
Wall Cover	Excess 12 mm Wall cover the gap between Wall and Window			



Description	Measurement (mm)		Wall thickness	Rib thickness
2000	Width	Height	(mm)	(mm)
Frame	60	60	2.2	1.5
Flexible mullion	61	60	2.2	1.5
Sash	76	60	2.2	1.5
Single glazing bead	17	35	2.2	1.2
Mullion	72	60	2.2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	Silver			
Wall Cover	Excess 12 mm Wall cover the gap between Wall and Window			



Description		rement m)	Wall thickness	Rib thickness (mm)
	Width	Height	(mm)	
Fixed frame	90	52	2.2	1.5
Fixed mullion	68	90	2.2	1.5
Glazing bead	15	25	1.5	
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	Silver			



Description	Specification
Clear	5mm clear glass (inner side)+10mm gap +5mm clear glass (outer side)
Navy blue	4mm clear glass (inner side)+10mm gap+ 5.5mm navy blue mercury glass (outer side)
Green	4mm clear glass (inner side)+10mm gap+ 5.5mm green mercury glass (outer side)
Coffee	5mm coffee glass (inner side)+10mm gap +5mm coffee glass (outer side)
Glass type	Double glass with gas filled
Glass color	Clear
Glass thickness	5, 5.5mm
Window types	EMBOSS Cosmic fixed,sliding,casement
Frame Color	☐ White & ■ Silver


EMBOSS DOUBLE GLAZING WINDOW




Description	Measurement (mm)		Wall thickness	Rib thickness
·	Width	Height	(mm)	(mm)
Sliding frame	75	45	1.55	1
Sash55	34	1.55	1	
Cover sash	37.5	30		
Glazing bead	17.3	16		
Mullion	59	34	1.55	1
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee, navy blue, mercury			
Glass thickness	5, 5.5, 6 mm			



Description	Measurement (mm)		Wall thickness	Rib thickness
2000ption	Width	Height	(mm)	(mm)
Frame	60	60	2	1.5
Flexible mullion	61	60	2	1.5
Sash	78	60	2	1.5
Single glazing bead	17	35	1.5	1.2
Mullion	72	60	2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	□White			



Description	Measurement (mm)		Wall thickness	Rib thickness
2 3 3 3 1 2 1 3 1	Width	Height	(mm)	(mm)
Fixed frame	88	52	2	1.5
Fixed mullion	67	88	2	1.5
Glazing bead	15	25	1.5	
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	☐White			



Description	Specification
Clear	5mm clear glass (inner side)+10mm gap+5mm clear glass (outer side)
Navy blue	4mm clear glass (inner side)+10mm gap+ 5.5mm navy blue mercury glass (outer side)
Green	4mm clear glass (inner side)+10mm gap+ 5.5mm green mercury glass (outer side)
Coffee	5mm coffee glass (inner side)+10mm gap+5mm coffee glass (outer side)
Glass type	Double glass with gas filled
Glass color	Clear
Glass thickness	5, 5.5, 6 mm
Window types	Cosmic fixed, sliding, casement
Frame Color	☐White

COSMIC DOUBLE GLAZING WINDOW

## CASEMENT DOOR WITH GEORGIAN BAR



Casement Double Door with Georgian Bar



Casement Single Door with Georgian Bar




Casement Double Louver Door

## COSMIC FOLDING WINDOW



## CASEMENT Z LOUVER





## SUPPORT uPVC Sheet

## **FEATURES**

- Eternal Durability
   Termite Proof
- Easy to Saw
- Comfortable to Nail & Screw

## **PVC FOAM SHEET**

## Specification


Measurement (mm)	
8'x4', 6'x4', 5'x4'	
1.75mm, 2.75mm, 4.75mm	
White, Off-White, Red, Blue,	
	8'x4', 6'x4', 5'x4' 1.75mm, 2.75mm, 4.75mm




Marketing Work

## **PVC FOAM SHEE**









White


Off white

Red

Blue

Wood

# PVC SKIN FINISH SHEET



## PVC SKIN FINISH SHEET

## Specification

Measurement (mm)
8'x4'
7.5mm,12mm,18mm
Off white, Wood & Gray

# DECORATIVE BOARD



Granite



Brick





Maple







Shil Koroi

## **DECORATIVE** BOARD

Description	Measurement
Width	4′
Length	8'
Thickness	18 mm
Material	PVC







Vector



Light oak

## **FEATURES**

- Strong & durable
- Water resistant
- PVC material
- Reasonable price
- Smooth and bright surface

Material



**Table** 



Bus


MARBLE SHEET				
Specification				
Description	Measurement			
Width	4'			
Length	8'			
Thickness	3 mm			

PVC

## COMPOSITE BORD

JSAGES OF M. SHEET





Red

## **FEATURES**

- Smooth surface
- Strong & durable
- Environment friendly
- Alternative to wood
- Perfect for shuttering works
- No need plaster





Shuttering Work



Kitchen Cabinet

## **COMPOSITE BOARD**

Description	Measurement
Width	4'
Length	8'
Thickness	18 mm
Material	PVC







## Usage area:

- Swimming pool
- Graden
- Balcony
- Any open Spece

## Features:

- Does not crack easily
- Color does not fade
- Sun and water Proof
- Durable

WF	C	Decl	king

Specification

Description	Measurement
Size	20.5mm X 140mm
Materials	WPC





## WPC Portable Decking



## Usage area:

- Graden
- Balcony
- Any open Spece

## Features:

- Does not crack easily
- Color does not fade
- Sun and water Proof
- Durable

## WPC Portable Decking

Measurement
12 <sup>"</sup> X 12 <sup>"</sup>
20mm
ABS+WPC







## Usage area:

- Indoor
- Outdoor
- Ceilling

## Features:

- Does not crack easily
- Color does not fade
- Sun and water Proof
- Durable

WPC Louver Specification	
Description	Measurement
Size	2″ X 5″, 2″ X 4″
Materials	WPC



## HEXAGONAL NET

Specification

Description	Measurement
Hexagonal Net (L X W)	82'x2'/3'/4'/5'/6'/7'/8'
Hexagonal Net Inside Diameter	1.5," 1", 3/4" & 1/1/2"
Color	Green and Orange

## MOSQUITO NET

Specification

Description	Measurement
Mosquito Net (L x W)	82'X3'/4'
Mosquito Net Inside Diameter	1.5mm
Color	Blue






## **Features**

- Strong Rust Proof Water Resistant
- Long Lasting Color Easy to Install Environment Friendly





**Angle** 

**Main Tee** 

Cross Tee

Note: We have two types of ceiling accessories- PVC & Metal

31.95mmx23.80mm


22mmx.35mm

Metal Main Tee 12'

Metal Angle 10'

821789

821790





## **FEATURES**

Superb finishingNo need to paint

Water proofPVC material

## **DECORATIVE PANEL**

Specification

Description	Measurement
Product Size	9' x 10''
Product Thickness	7 mm







## MAGIC BENCH

**Specification** 

Description	Measurement
Size	Multiple & Single Size
Item Name	Park & School Bench
Length	1317mm
Sitting and Back Part Width	375mm
Height	420mm

## **Features**

- Fully water proof
- Easy to assemble
- 100% Virgin material
- UV protectd against sun light



## DRESSING TABLE & BIG ALMIRAH



Rajdut



Begonia



Rosy



Rosebee



Rosebee





Pink Belly



Bloom

## MALL ALMIRAH & SHOE RACK



Rosebee



Pink Belly



Daisy



Decent



## For Information

Mobile	Email
01841 357 444	rfl744@rflgroupbd.com
01844 609 486 (CTG)	rpl230@rflgroupbd.com

## **Customer Relations Dept**

Phone : +8809613737777 Toll Free: +8808007777777