



আর এফ এল

Catalogue

DECORA GROUP
Building Material



KOMANDO DOOR




Trigon (7'x2.5', 7'x3', 7'x3.5')



Brown Wood (7'x2.5', 7'x3', 7'x3.25', 7'x3.5')




Wind (7' x 2.5')



King (7'x2.5')

DIAMOND DOOR




Supreme (7'x2.5', 7'x3')



Cooper (7'x2.5', 7'x3', 7'x3.5')



Ring (7'x2.5')



Hulk (7'x2.5')

PREMIUM DOOR




Iris (7'x2.5')



Square (7' x 2.5', 7' x 3')



Optima (7'x2.5')



Ulka (7'x2.5')

GOLD DOOR

POPULAR DOOR



Sunflower
(7'x2.5')



Vinyl
(7'x2.5')



Champa
(7'x3')




Spring
(7'x2.5', 6.5'x2.5')



China Marble
(7'x2.5', 6.5'x2.5')



Gorgeous
(7'x2.5', 6.5'x2.5')



White Stone
(7'x2.5', 6.5'x2.5')



Acacia (7'x2.5')

ECO DOOR



Red Rose
(7'x2.5', 6.5'x2.5', 6'x2.5')



Black Dice
(7'x2.5', 6.5'x2.5', 6'x2.5')



Nigella
(7'x2.5', 6.5'x2.5', 6'x2.5')



Dice
(7'x2.5', 6.5'x2.5', 6'x2.5')

KAPTAIN DOOR



Marble
(7'x2.5', 6.5'x2.5', 6'x 2.5)



Circle
(7'x2.5', 6.5'x2.5', 6'x 2.5)



Fiber Wood
(7'x2.5')




CNC Dice
(7'x2.5')



Rayon (7'x2.5')




Crystal
(7'x2.5')




Dynamite
(7'x2.5')


CAT DOOR




S. Coffee



S. Light



Pop Light Peach



Door Opening Direction

Features of uPVC Door

- uPVC Materials
- Scratch Free
- Weather resistance
- Water Proof
- Durable
- Termite Proof



EMBOSS SLIDING

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Sliding frame	90	52	2.2	1.5
Sash	42	57	2	1.5
Middle connection	88	70	2.2	1.5
Glazing bead	15	25	1.5	
Centre intersecting unit	46.4	22	1.5	
Cover sash	45	30	1.5	
Insect screen sash	22	41	1.8	1
Middle section sash	42	66	2.3	1.5
Glass type	Single or double glass with gas fille			
Glass color	Clear, navy blue mercury, green mercury coffee, navy blue, mercury			
Glass thickness	5, 5.5, 6 mm			
Frame Color	■ Silver			
Wall Cover	Excess 12 mm Wall cover the gap between Wall and Window			



Covering Outside Wall
(No Need Extra Silicon)

EMBOSS CASEMENT

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Frame	60	60	2.2	1.5
Flexible mullion	61	60	2.2	1.5
Sash	76	60	2.2	1.5
Single glazing bead	17	35	2.2	1.2
Mullion	72	60	2.2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	■ Silver			
Wall Cover	Excess 12 mm Wall cover the gap between Wall and Window			



COSMIC CASEMENT

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Frame	60	60	2	1.5
Flexible mullion	61	60	2	1.5
Sash	78	60	2	1.5
Single glazing bead	17	35	1.5	1.2
Mullion	72	60	2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	<input type="checkbox"/> White			



EMBOSS FIXED

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Fixed frame	90	52	2.2	1.5
Fixed mullion	68	90	2.2	1.5
Glazing bead	15	25	1.5	
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thickness	5, 5.5, 6 mm			
Frame Color	<input checked="" type="checkbox"/> Silver			



SMART FIXED

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Fixed frame	75	45	1.55	1
Fixed mullion	75	58	1.55	1
Glazing bead	17.3	16		
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee			
Glass thicknes	5, 5.5, 6 mm			



Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Sliding frame	75	45	1.55	1
Sash55	34	1.55	1	
Cover sash	37.5	30		
Glazing bead	17.3	16		
Mullion	59	34	1.55	1
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury, coffee, navy blue, mercury			
Glass thickness	5, 5.5, 6 mm			



COSMIC FOLDING WINDOW



CASEMENT SINGLE DOOR



DOUBLE DOOR WITH G BAR

CASEMENT Z LOUVER

FEATURES

- Engineering & uPVC Materials
- Excellent Sound Insulation
- Scratch Free
- Fire Retardant
- Weather Resistance
- Metal Reinforcement
- Water Proof
- Color Guarantee

For Information

Division	Name of Region	District	Mobile No.
Division 1	Rangpur	Dinajpur, Takurgaon, Panchagar, Nilphamari, Rangpur, Lalmonirhat, Kurigram, Gaibandha	01841013031
	Bogura	Bogura, Joypurhat, Naogaon, Rajshahi, Chapai Nababgonj, Nator, Pabna, Sirajgonj	
	Jashore	Jashore, Jhenaidah, Chuadanga, Meherpur, Narail, Khulna, Bagerhat, Satkhira, Faridpur, Magura, Rajbari, Kushtia	
	Barishal	Barisal, Barguna, Bhola, Jhalakathi, Patuakhali, Pirojpur, Madaripur, Shariatpur, Gopalganj	
	Mymensingh	Tangail, Jamalpur, Sherpur, Mymensingh, Netrokona, Gazipur	
Division 2	Dhaka	D.M-01/Mitford, D.M-02/Badda	01841257514
	Out Dhaka	Narayongonj, Munsigonj, Manikgonj, Savar	
	M. Bazar	B.Barua, Habigonj, Sylhet, Sunamgonj, Kishorgonj, Narsingdi	
	Chattogram	Chattogram, Bandorban, Cox's Bazar, Khagrachari, Rangamati, Hathazari	
	Cumilla	Cumilla, Feni, Noakhali, Laxmipur, Chandpur	
Nationally			01894846297