



- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 94729 (White) 807047 (Ivory Gold)



1400 mm/56" Sweep



220 Volt Rated Voltage



80 Watt Rated Power



50Hz Frequency



320 R.P.M. Speed



225 M3/Min **Air Delivery**



Safety wire for ensuring extra safety





Challenger Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- Powder coating paint
- ◆ Code: 75260 (White)





1400 mm/56" Sweep



220 Volt Rated Voltage



80 Watt Rated Power



50Hz Frequency



320 R.P.M. Speed











Camelia Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 900735 (Ivory)



1400 mm/56" Sweep



220 Volt Rated Voltage



85 Watt Rated Power



50Hz Frequency



325 R.P.M. Speed



225 M³/Min Air Delivery



Safety wire for ensuring extra safety







Camelia Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ High quality liquid paint
- ◆ Code: 876101 (Silver Blue)



1400 mm/56" Sweep



220 Volt Rated Voltage



85 Watt Rated Power



50Hz Frequency



325 R.P.M. Speed



225 M³/Min Air Delivery



Finergy Saving





Divine Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 901532 (Ivory)



1400 mm/56" Sweep



220 Volt Rated Voltage



85 Watt Rated Power

TO



50Hz Frequency



315 R.P.M. Speed



221 M³/Min Air Delivery YEARS WARRANTY

Safety wire for ensuring extra safety







Premio Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating glittering paint
- ◆ Code: 876104





1400 mm/56" Sweep



220 Volt Rated Voltage



85 Watt Rated Power




50Hz Frequency



315 R.P.M. Speed













Green Ceiling Fan

- ◆ 30% more efficient than other fan
- Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 901490 (Eco Star Series)





1400 mm/56" Sweep



220 Volt Rated Voltage



65 Watt Rated Power



50Hz Frequency



315 R.P.M. Speed



220 M³/Min Air Delivery

Safety wire for ensuring extra safety









Power Saver Ceiling Fan

- Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ More than 50% low power consumption
- ◆ Brussless DC motor technology
- ◆ High Quality Glittering Paint
- ◆ Code: 876895 (Ivory)





1400 mm/56" Sweep



115-230 VAC Rated Voltage



50Hz Frequency



300 R.P.M. Speed







Glamour Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ High quality powder coating paint with dust proof coating
- ◆ Code:876892







1400 mm /56" Sweep



220 Volt Rated Voltage



80 Watt Rated Power



50Hz Frequency



320 R.P.M. Speed



220 M³/Min Air Delivery Safety wire for ensuring extra safety









RADIANT Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating glittering paint
- ◆ Remote Control
- ◆ 1 year warranty for LED, Remote
- ◆ Code: 876090 (Metallic silver)

1400 mm/56" Sweep











Glory Ceiling Fan

- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ High quality glittering powder coating paint
- Code: 876897(Brown) 876898 (Golden)





1400 mm/56" Sweep



220 Volt Rated Voltage



80 Watt Rated Power



50Hz Frequency



320 R.P.M. Speed











Popular Ceiling Fan

- Aerodynamically designed MS blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 876091 (Ivory)



1400 mm/56" Sweep



220 Volt Rated Voltage



75 Watt Rated Power



50Hz Frequency



340 R.P.M. Speed



210 M³/Min Air Delivery Safety wire for ensuring extra safety

YEARS Energy Saving





- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 901229 (ivory)



1200 mm/48" Sweep



220 Volt Rated Voltage



80 Watt Rated Power CLICK



50Hz Frequency



370 R.P.M. Speed



200 M³/Min Air Delivery



Safety wire for ensuring extra safety



- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- Powder coating paint
- ◆ Code: 901477 (Ivory)





900 mm/36" Sweep



220 Volt Rated Voltage



85 Watt Rated Power



50Hz Frequency



540 R.P.M. Speed



180 M³/Min Air Delivery



reug.

PELIC.







- ◆ Aerodynamically designed aluminum blade
- ◆ High quality electric silicon sheet
- ◆ Powder coating paint
- ◆ Code: 901531 (ivory)







220 Volt Rated Voltage

690 R.P.M. Speed



65 Watt Rated Power

WCLICK

WCLIC!














Table Fan

- Thermal protection
- Body blade made from virgin material
- Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover

 Code: 807051 (White), 807052 (Blue) 900694 (Crafty)









400 mm/16" Sweep



220 Volt Rated Voltage



55 Watt Rated Power



50Hz Frequency



1200 R.P.M. Speed











Classy Table Fan

- ◆ Thermal protection
- ◆ Body blade made from virgin material
- Over voltage carrying capacity
- ◆ Low power consumption
- ◆ Code: 907629 (Red)





400 mm/16" Sweep



220 Volt Rated Voltage



60 Watt Rated Power



50Hz Frequency



1300 R.P.M. Speed









Metal BladeTable Fan

- ◆ Thermal protection
- ◆ Metal Blades / aluminum Blades
- ◆ Over voltage carrying capacity
- ◆ Code: 876566 (Black)





400 mm/16" Sweep



220 Volt Rated Voltage



55 Watt Rated Power



50Hz Frequency



1300 R.P.M. Speed









DC Table Fan

- ◆ Energy saving
- Virgin mateial
- ◆ DC motor
- ◆ Low power consumption
- ◆ Code: 876133





300 mm/12" Sweep



12 Volt Rated Voltage



30 Watt Rated Power



1500 R.P.M. Speed









Rechargeable Fan

- Over charge & over discharge protection
- ◆ AC/DC operated
- ◆ Full charge indication
- ◆ Charge time: 12 hours
- ◆ Battery: 6V, 4.5Ah (12"), 6V, 7Ah (14")
- Code: 900642 (12"- Butterfly shape 3 blades)
 900643 (14"- Knife shape 5 blades)





PCLICK

Duration time: LED- 70 hrs strong light, 120 hrs weak light. Fan- 3.5 hrs max speed, 15 hrs low speed.



300 mm /12" 350 mm /14" Sweep



220 Volt Rated Voltage



14/17 Watt Rated Power



High: 1400/1300 Low: 800/600 R.P.M. Speed





DC Car Fan

- Use virgin plastic for blade and body
- ◆ DC motor
- Rust free guard
- ◆ 360° moving system Code: 876129











Cyclone Fan

- Use virgin plastic for blade and body
- 3 dimension high speed fan
- Can be ceiling mounted
- ◆ Can be wall mounted
- ◆ Over voltage carrying capacity
- ◆ Code: 807847 (Blue)





235 mm/9" Sweep



220 Volt Rated Voltage



68 Watt Rated Power



50Hz Frequency



2600 R.P.M. Speed









Cyclone Fan

- ◆ Easy to carry
- Use virgin plastic for blade and body
- ◆ Over voltage carrying capacity
- ◆ Code: 907961 (Table-12")





300 mm/12" Sweep



220 Volt Rated Voltage



70 Watt Rated Power




50Hz Frequency



2500 R.P.M. Speed









Sprint Wall Fan

- ◆ Use virgin plastic for blade and body
- ◆ Over voltage carrying capacity
- ◆ Low power consumption
- Bearing type motor with aluminum cover
- Thermal protection
- ◆ Code: 876137





400 mm/16" Sweep



220 Volt Rated Voltage



60 Watt Rated Power



50Hz Frequency



1250 R.P.M. Speed









Blue Wall Fan

- ◆ Use virgin plastic for blade and body
- ◆ Aesthetically designed
- ◆ Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover
- ◆ Code: 94701 (Blue)





450 mm/18" Sweep



220 Volt Rated Voltage



55 Watt Rated Power



50Hz Frequency



1250 R.P.M. Speed







Orbit Ceiling Fan

- ◆ Ceiling mounted
- ◆ Over voltage carrying capacity
- ◆ Low power consumption
- ◆ Aesthetically designed
- ◆ 360° rotation
- ◆ Code: 876911



400 mm/16" Sweep



220 Volt Rated Voltage



60 Watt Rated Power



50Hz Frequency



1250 R.P.M. Speed











Blue Stand Fan

- ◆ Use virgin plastic for blade and body
- ◆ Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover
- ◆ Low power consumption
- ◆ Code: 94706 (Blue)



450 mm/18" Sweep



220 Volt Rated Voltage



55 Watt Rated Power



50Hz Frequency



1200 R.P.M. Speed







Aircon Stand Fan

- ◆ Use virgin plastic for blade and body
- ◆ Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover
- ◆ Low power consumption
- ◆ Metal base stand
- ◆ Code: 901386





450 mm/18" Sweep



220 Volt Rated Voltage



55 Watt Rated Power



50Hz Frequency



1200 R.P.M. Speed








Pedestal Stand Fan

- ◆ Aluminum blade with heavy duty motor
- ◆ Rust free wire guard
- Metal body
- ◆ 90 degree oscillation
- ◆ Code: 907644





600 mm/24" Sweep



220 Volt Rated Voltage



50Hz Frequency



1350 R.P.M. Speed



Sprint Stand Fan

- ◆ Use virgin plastic for blade and body
- ◆ Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover
- ◆ Low power consumption
- ◆ Code: 876135





400 mm/16" Sweep



220 Volt Rated Voltage



50Hz Frequency



1250 R.P.M. Speed



Industrial Stand Fan

- ◆ Thermal protection
- ◆ Use virgin plastic for blade and body
- Aesthetically designed
- ◆ Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover
- ◆ Code: 876916





450 mm/18" Sweep



220 Volt Rated Voltage



50Hz Frequency




1250 R.P.M. Speed

31



Classy Stand Fan

- ◆ Use virgin plastic for blade and body
- ◆ Over voltage carrying capacity
- ◆ Bearing type motor with aluminum cover
- ◆ Low power consumption
- ◆ Code: 907762 (Red)





450 mm/18" Sweep



220 Volt Rated Voltage





50Hz Frequency



Cyclone Half stand Fan

- ◆ Metal blades
- ◆ Over voltage carrying capacity
- High speed
- Rust free guard
- ◆ Code: 969310





300 mm/12" Sweep



220 Volt Rated Voltage



50Hz Frequency



2500 R.P.M. Speed



Exhaust Fan

- ◆ Pure copper wire
- ◆ Low power consumption
- Over voltage carrying capacity
- ◆ Less sound in motor
- ◆ Aerodynamic plastic blades
- ◆ Code: 876913 (6"), 900470 (8"), 94717 (10"), 900723 (12")



150/ 200/ 250/ 300mm 6"/ 8"/10"/12" Sweep



220 Volt Rated Voltage



40/40/40/45 Watt Rated Power



50Hz Frequency



1300/1200/1150/1100 R.P.M. Speed





Light Exhaust Fan

- ◆ Pure copper wire
- ◆ Low power consumption
- Over voltage carrying capacity
- ◆ Less sound in motor
- Aerodynamic plastic blades
- ◆ Code: 901457



200 mm/8" Sweep



220 Volt Rated Voltage



40 Watt Rated Power



50Hz Frequency



1200 R.P.M. Speed





Metal Exhaust Fan

- ◆ Heavy Metal blades
- Metal Body
- Over voltage carrying capacity
- ◆ Code: 876117 (8"), 907120 (10"),
- **◆** 876131 (12")





220 Volt Rated Voltage



40 Watt Rated Power



50Hz Frequency



1300/1250 R.P.M. Speed





Ring Exhaust Fan

- ◆ Heavy Metal blades
- Metal Body
- ◆ Over voltage carrying capacity
- ◆ Safety Net
- Code: 907953 (16"), 907955 (18")



400/ 450mm 16"/18" Sweep



220 Volt Rated Voltage



80/90 Watt Rated Power



50Hz Frequency



1400± R.P.M. Speed





Drum Blower Fan

- ◆ Heavy Metal blades
- ◆ Metal Body
- ◆ One HP pure copper motor
- Safety Net
- Code: 876900 (16"), 907957 (20")



400/500 mm 16"/20" Sweep



50Hz Frequency



220 Volt Rated Voltage



1400/1350 R.P.M. Speed



200/250 Watt Rated Power








Closet Fan

- ◆ Aesthetically designed
- ◆ Made by virgin plastic material
- ◆ Code: 900945 (16"- Blue),
- ◆ 901481 (18"- Blue) 907628 (20"- Black)











400/450/500 mm 16"/18"/20" Sweep



220 Volt Rated Voltage



50/60/90 Watt Rated Power



50Hz Frequency



1200/1200/1250 R.P.M. Speed





Portable Pocket fan

- ◆ Portable
- ◆ 3 Step Speed Control
- ◆ High Wind & Long Life
- ◆ LED Light
- ◆ Charging Time: 3 hours
- ◆ Backup Time: 3 hours
- ◆ Code: 969311





